Comparative Analysis of Population Density and Land Area Dynamics in Birmingham

Yourfee Kennedy, Biosphere Reserves Management, MSc. Eberswalde University for Sustainable Development, Germany.

Abstract

Urbanization poses noteworthy challenges and prospects for cities globally, underscoring the importance of a profound comprehension of population density and land area dynamics. The research at hand delves into Birmingham, UK, scrutinizing its demographic and spatial alterations through a comparative examination. By leveraging Geographic Information Systems (GIS) technology, we scrutinize population density distributions and land area fluctuations to illuminate urban expansion trends, spatial disparities, and socioeconomic catalysts. Drawing upon urban geography, spatial analysis, and economic paradigms, we explore the intricate interplay between population density and land area dynamics. Our approach encompasses spatial analysis methodologies like Choropleth Mapping, Spatial Autocorrelation Analysis, and Hotspot identification. The analysis is conducted to visually represent and interpret temporal-spatial arrangements. The findings illustrate the multifaceted urban layout of Birmingham, characterized by varying concentrations of residents in different geographical zones. By delving into discussions regarding the dispersion of inhabitants, nomenclature protocols, categorizations of population density, and dimensions of regions, we bring to light the heterogeneous essence of the city and its repercussions on urban design and advancement. This comparative examination provides valuable perceptions for decision-makers, urban developers, and invested parties, aiding in the formulation of informed choices and sustainable strategies for urban evolution.

Keywords: Urbanization, Population Density, Land Area Dynamics, Birmingham, GIS Technology, Spatial Analysis, Socioeconomic Factors, Urban Planning, Sustainable Development, and Spatial Inequalities.

1 Introduction

Urbanization is a global phenomenon characterized by rapid population growth, increased urban expansion, and dynamic changes in land use patterns (UN-Habitat, 2016). As cities grow, understanding population density dynamics and land area dynamics is critical for effective urban planning, sustainable development, and resource management (Polyakov, M & Zhang, D, .2008, Batty et al., 2019). In the context of Birmingham, UK, a comprehensive analysis of population density and land area dynamics can provide valuable insights into urban growth trends, spatial inequalities, and socioeconomic factors influencing urban development. The city of Birmingham has experienced significant demographic and spatial changes over the last century, developing from an industrial canter to a diverse metropolitan area (Hamnett, 2003). With a population of over 1 million, Birmingham is a complex urban environment with diverse communities, infrastructure networks, and land use patterns (ONS, 2021). However, rapid urbanization brings challenges such as urban expansion, congestion, and environmental degradation, highlighting the need for evidence-based strategies to address these issues (Shi et al., 2016). Our goal in this study is to compare the population density in Birmingham with the land area dynamics using GIS technology. Through the use of GIS tools, spatial analysis, and data visualization, we will be able to better understand how population density is distributed across the city, how land use is changing, and how population density interacts with socioeconomic factors. This analysis will help us to better understand the dynamics of urban life in Birmingham and provide evidence-based decisions for planning and policy-making (Phillips, E, 2016).

2 Literature Review

The literature on urban geography, spatial analysis, and urban planning provides valuable insights into the relationship between population density and land area dynamics in urban areas. A large body of research has examined the drivers, patterns, and impacts of urban growth, highlighting the complex interplay between demographic trends, economic forces, and environmental factors. (Barty et al. 2019) highlighted the role of spatial analysis techniques in understanding urban dynamics and emphasized the importance of GIS for modeling urban growth patterns and predicting future land use changes. Similarly, (Longley et al. 2017) discuss the integration of GIS technologies into urban planning processes and highlight the need for spatially explicit data for decision-making. Furthermore, Aditya (T., Aditya, et al.,2023).) studied the relationship between population density and land cover changes and demonstrated the utility of GIS in quantifying spatial urbanization patterns and assessing their environmental impacts. (Wang et al.,2020) extend this analysis by examining the socioeconomic drivers of urban growth and highlighting the importance of land use policy and infrastructure investment. In addition to spatial analysis, economic theories of urban growth provide valuable insights into the determinants of population density and land area dynamics. (Glazer et al. 2016) discussed the role of agglomeration economies and urbanization economies in promoting urban population concentration and land use intensification. (Bistinas, I.,2013, Bruckner et al. 2015) extend this analysis by examining the spatial distribution of economic activities and employment opportunities in urban areas, highlighting the relationship between land use patterns and economic development. Additionally, socioeconomic factors such as income inequality, social segregation, and housing affordability play a crucial role in shaping urban population density patterns. (Groys et al. 2019) studied the socioeconomic determinants of population density fluctuations and highlighted the importance of income distribution and housing market dynamics in shaping urban spatial structure (Li et al. 2021). However, although the existing literature provides valuable theoretical frameworks and methodologies, there remains a gap in empirical research specifically focusing on the comparative analysis of population density and land area dynamics in Birmingham. This study attempts to fill this gap by applying GIS technology for analysis of spatio-temporal patterns of population density and land area changes in Birmingham, contributing to a better understanding of urban dynamics and informing evidence-based urban planning strategies.

3 Methodology

The methodology of this study includes several steps to perform a comparison of population density dynamics in Birmingham using Geographic Information Systems (GIS) techniques. The first step is to compile a comprehensive dataset that includes population counts, and land area measurements for various spatial units within Birmingham. This dataset will then be geo-referenced and ready for spatial analysis in GIS environments. The next step is to use spatial analysis techniques like Choropleth Mapping, Spatial Autocorrelation Analysis, and Hotspot Analysis to visualize and visualize spatial patterns of population densities and land areas across Birmingham. Choropleth mapping is used to visualize variations in population density. Spatial autocorrelation is used to analyze the spatial distribution and dispersion of population density values. Hotspot analysis is used to identify areas with high and low population density concentrations. In addition, the time-based analysis will be carried out to analyze the evolution of population densities and land areas over time. This analysis will compare population density values with land area measurements over different periods to determine trends and trends in urban growth and evolution. The spatial and temporal analysis will then be combined to determine correlations and relationships between population densities and the dynamics of land areas in Birmingham. Utilizing GIS techniques, statistical analysis, and spatial modeling to gain actionable insights, this study is designed to help urban planners, policymakers, and stakeholders make informed decisions and create sustainable urban developments in Birmingham (T Saghapour, et al. 2016)

4 Results

4.1 Population Distribution in Birmingham



Figure1.The population distribution in Birmingham

4.2 Geographic Areas in Birmingham



Figure 2. Geographic areas in Birmingham

4.3 Population Density in Birmingham



Figure 3. The population density per kilometer square

4.4Land Area Distribution in Birmingham



Figure 4. Land area distribution in Birmingham

5 Discussion

In Birmingham, population dynamics as shown in Figure 2 show that there are large differences in population counts between different parts of the city. Birmingham has a minimum population count of 1015 and a maximum population count of 1372, with a total population of 2324 and 5329, respectively, across the city. This difference in population distribution highlights the fact that urban settlements are heterogeneous, with some areas having higher residential concentration than others. In addition, Figure 2 shows the different naming conventions used for different locations within Birmingham. The names of places in Birmingham, such as Birmingham 123E Birmingham105A Birmingham081F Each name may indicate a specific neighbourhood, district, or administrative division within Birmingham. The population density is a measure of the intensity of an urban area. Birmingham's population density can be broken down into very low-density, very high-density, and very high-density areas. The very low-density areas have a population density of 184-3402 people per square kilometer, while the very high-density areas have populations of 7718-24168 people per square kilometer. The map canvas visualizes the population density of Birmingham. Some areas have low population density and are suburban or rural, while others have high population density and are urban cores or dense neighbourhoods' analysis of area size also helps to support the population density results. For example, the minimum area size is 0.23 square kilometers, and the maximum area size is 3 square kilometers. Knowing the size of different areas helps to interpret population density patterns in a more nuanced way, as bigger areas may be able to support more people even at lower population densities (MK Hossain & Q Meng.,2020, Zhang, Y.,2017)

6 Conclusion

A comparison of Birmingham’s population and land area dynamics reveals a complex pattern of urban settlement and demography. The analysis of population numbers, naming conventions population density classifications, and area sizes highlight the city’s diverse and heterogeneous character (Deville, P., & Linard, C.,2014). The variation in population numbers across different areas reflects the complex relationship between socioeconomic, historical, and geographical factors that shape urban growth (KC Seto, YE., et al. 2011). Similarly, the variety of naming conventions assigned to various locations within Birmingham reflects its rich cultural and social identity (Rain, D. 2007). The population density classifications provide valuable insights into the rate of urbanization and spatial concentration of human activities within Birmingham (Yegorov. Y, 2015). Birmingham has a wide range of residential environments, from very low-density suburbs to very high-density urban cores, each with its unique features and challenges. By looking at area sizes, we can gain a better understanding of population density patterns and how they relate to spatial dynamics. By looking at population density in combination with area size, policymakers, and city planners can create strategies for infrastructure, service delivery, and community involvement that reflect the needs of Birmingham’s diverse population. In summary, comparing population density with land area dynamics provides evidence-based decisions and strategic planning tools to support sustainable urban development, improve quality of life, and promote social equity in Birmingham and beyond.

7References

Azar, D., Engstrom, R., Graesser, J., & Comenetz, J. (2013). Generation of fine-scale population layers using multi-resolution satellite imagery and geospatial data. Remote Sensing of Environment, 130, 219–232.

Balk, D. L., Yetman, G., & The Global Distribution of Population: Evaluating the Gains in Resolution Refinement. (2004). Center for International Earth Science Information Network, New York.

Balk, D. L., et al. (2006). Determining global population distribution: Methods, applications, and data. Advances in Parasitology, 62, 119–156.

Bhaduri, B., Bright, E., Coleman, P., & Urban, M. (2007). LandScan USA: A high-resolution geospatial and temporal modeling approach for population distribution and dynamics. GeoJournal, 69, 103–117.

Checchi, F., Stewart, B. T., Palmer, J. J., & Grundy, C. (2013). Validity and feasibility of a satellite imagery-based method for rapid estimation of displaced populations. International Journal of Health Geographics, 12.

Deichmann, U., Balk, D., & Yetman, G. (2001). Transforming Population Data for Interdisciplinary Usages: From Census to Grid. Center for International Earth Science Information Network, Washington, DC.

Dobson, J. E., Bright, E. A., Coleman, P. R., Durfee, R. C., & Worley, B. A. (2000). Landscan: A global population database for estimating populations at risk. Photogrammetric Engineering & Remote Sensing, 66, 849–857.

Gaughan, A. E., Stevens, F. R., Linard, C., Jia, P., & Tatem, A. J. (2013). High-resolution population distribution maps for Southeast Asia in 2010 and 2015. PLoS One, 8, e55882.

Gamba, P., Herold, M., & Briassoulis, H. (2016). Population density and urbanization: New multiresolution indicators. Remote Sensing, 8(11), 879.

Jankowska, M. M., Lopez-Carr, D., Funk, C., Husak, G. J., & Chafe, Z. A. (2012). Climate change and human health: Spatial modeling of water availability, malnutrition, and livelihoods in Mali, Africa. Applied Geography, 33, 4–15.

Lenormand, M., et al. (2014). Cross-checking different sources of mobility information. PLoS One, 9, e105184.

Linard, C., & Tatem, A. J. (2012). Large-scale spatial population databases in infectious disease research. International Journal of Health Geographics, 11.

Linard, C., Gilbert, M., Snow, R. W., Noor, A. M., & Tatem, A. J. (2012). Population distribution, settlement patterns and accessibility across Africa in 2010. PLoS One, 7, e31743.

Mondal, P., & Tatem, A. J. (2012). Uncertainties in measuring populations potentially impacted by sea level rise and coastal flooding. PLoS One, 7, e48191.

O'Neill, B. C., et al. (2010). Global demographic trends and future carbon emissions. Proceedings of the National Academy of Sciences of the United States of America, 107, 17521–17526.

Pulselli, R., Ramono, P., Ratti, C., & Tiezzi, E. (2008). Computing urban mobile landscapes through monitoring population density based on cellphone chatting. International Journal of Design & Nature and Ecodynamics, 3, 121–134.

Reades, J., Calabrese, F., & Ratti, C. (2009). Eigenplaces: Analysing cities using the space–time structure of the mobile phone network. Environment and Planning B: Urban Analytics and City Science, 36, 824–836.

Stevens, F. R., Gaughan, A. E., Linard, C., & Tatem, A. J. (in press). Disaggregating census data for population mapping using random forests with remotely-sensed and other ancillary data. PLoS One.

Tatem, A. J., Campiz, N., Gething, P. W., Snow, R. W., & Linard, C. (2011). The effects of spatial population dataset choice on estimates of population at risk of disease. Population Health Metrics, 9.

Tatem, A. J., Dobson, J. E., et al. (2012). Mapping populations at risk: Improving spatial demographic data for infectious disease modeling and metric derivation. Population Health Metrics, 10.

Tatem, A. J., et al. (2009). The use of mobile phone data for the estimation of the travel patterns and imported Plasmodium falciparum rates among Zanzibar residents. Malaria Journal, 8, 287.

Tatem, A. J., Linard, C., et al. (2011). Population mapping of poor countries. Nature, 474, 36–36.

Wegscheider, S., et al. (2011). Generating tsunami risk knowledge at community level as a base for planning and implementation of risk reduction strategies. Natural Hazards and Earth System Sciences, 11, 249–258.

Wu, C., Shen, Q., Zhou, J., & Cao, Y. (2019). Exploring urbanization dynamics using geospatial and census data: A case study of metropolitan Atlanta. ISPRS International Journal of Geo-Information, 8(6), 262.

Zhang, Y., Zhang, X., & Fu, M. (2017). Spatial analysis of urban growth and population density: A case study of Beijing, China. ISPRS International Journal of Geo-Information, 6(11), 339.